

2022 Preventive Schedule

Important preventive health services for you and your family

Below is a summary of preventive service recommendations for healthy adults with normal risk. Most services are covered at 100% when Aetna members use in-network providers for preventive care. Make sure you know what is covered by your health plan and talk with your doctor to find out what preventive services are right for you and when you should have them. A full list of the most current screening recommendations can be found on the U.S. Preventive Services Task Force (USPSTF) website at <http://www.ahrq.gov/clinic/uspstfix.htm>. Vaccine schedules change often. The most current recommendations for vaccines can be found on the Centers for Disease Control and Prevention (CDC) website at www.cdc.gov/vaccines. A catch-up vaccine schedule is also available at the CDC website for any vaccines that may have been missed.

Adults: Ages 19+  Male  Female

Questions?




Call Member Services at 1-877-542-3862







































Ask your doctor



Log into your account at www.aetna.com

General Health Care		
	Routine Checkup (This exam is not the work- or school-related physical)*	Ages 19 to 49: Every 1 to 2 years. Ages 50 and older: Once a year
	Behavioral Counseling	Routinely for sexually active adults
	Breast Exam	Ages 20 to 39: Once per playear
	Pelvic Exam	Ages 21 to 65: Once per playear
Diabetes Prevention Program(DPP) Recommendations		
	https://dhr.delaware.gov/benefits/dela-well/aetna-diabetes-prevention.shtml	Adults 18 years of age and older. Enrollment in either the onsite YMCA or Solera online DPP program. To determine if you are at risk, talk to your doctor or visit http://ymcade.org/preventdiabetes/
Screening Tests** Recommendations		
	Abdominal aortic aneurism	One-time screening – ages 65 years and older who have smoked
	Alcohol misuse	Routinely – 18 years of age and older
	Anxiety	As prescribed
	Blood pressure	Every 2 years – 18 years of age and older
	Body mass index (BMI)	Periodically – 18 years of age and older
	BRCA Risk Assessment	Personal or family history of breast, ovarian, tubal, or peritoneal cancer or who have an ancestry associated with breast cancer susceptibility 1 and 2 (BRCA1/2) gene mutations
	BRCA Genetic Counseling/Testing	Personal or family history of breast, ovarian, tubal, or peritoneal cancer or who have an ancestry associated with breast cancer susceptibility 1 and 2 (BRCA1/2) gene mutations
	Cervical Cancer Screening	21-29 years of age: Pap smear every 3 years 30-65 years of age: Pap smear every 3 years or Pap test and human papillomavirus (HPV) test every 5 years. Talk with your doctor about the method of screening that is right for you
	Chlamydia, Gonorrhea and Syphilis	Routinely – 24 years of age and younger and sexually active
	Cholesterol	Every 5 years – 35 years of age and older
	Colorectal	Beginning at 50 years of age to 75 years of age – yearly screening with high- sensitivity stool test for blood, OR sigmoidoscopy every 5 years with high sensitivity stool test for blood every 3 years, OR colonoscopy every 10 years. Talk with your doctor about what type of screening is right for you and any benefits of screening over 75 years of age.
	Depression	Routinely – 18 years of age and older
	Diabetes	High-risk – 40 years of age and older. Talk with your doctor to discuss the method of screening that is right for you.
	Hearing	Routinely – 19-21 years of age

	Hepatitis B (HBV)	High-risk
	Hepatitis C (HCV)	18-79 years of age
	Human immunodeficiency virus (HIV)	Once – 15-65 years of age. Talk with your doctor about when screening should be repeated.
	Intimate partner violence	Routinely – women of childbearing age
	Latent Tuberculosis	High-risk
	Lung Cancer	Annually – 50-80 years of age who have a 30 pack-per year smoking history and currently smoke or have quit within the past 15 years
	Mammogram¹ 2D/3D	Annually – 40 years of age and older Baseline Mammogram – between ages 35-39
	Osteoporosis	65 years of age and older
	Prostate	Talk to your health care provider to determine if a prostate screening is recommended
	Tobacco use	Routinely – 18 years of age and older
	Unhealthy Drug Use	Routinely – 18 years of age and older
Vaccines*		Recommendations
	Hepatitis A	2-3 doses – at risk or per doctor's advice
	Hepatitis B	3 doses – at risk or per doctor's advice
	Human papillomavirus (HPV)	One 3-dose series-19-45 years of age
	Influenza	Every flu season
	Measles-mumps-rubella (MMR)	1 or 2 doses
	Pneumonia	1-2 doses per lifetime – high-risk or 65 years of age and older
	Tetanus-diphtheria-pertussis (Td/Tdap)	1 dose Tdap, then Td every 10 years – 19 years of age and older
	Varicella (chicken pox)	One 2-dose series – adults with no history of chicken pox
	Zostavax (ZVL)	1 dose – 60 years of age and older
	Shingrix (RZV)	2 doses – 50 years of age and older 2 doses - 19 years of age and older who are or will be immunodeficient or immunosuppressed due to disease or therapy
Perinatal Screening Tests**		Recommendations
	Bacteriuria	Urine culture – 12-16 weeks gestation or first prenatal visit, whichever is first
	Breastfeeding	During and after pregnancy – breastfeeding counseling
	Gestational diabetes	During pregnancy – after 24 weeks and postpartum
	Depression & Anxiety	During pregnancy and postpartum
	Hepatitis B virus (HBV)	First prenatal visit

 Human immunodeficiency virus (HIV)	During pregnancy
 Iron deficiency anemia	During pregnancy
 Nutritional counseling	During pregnancy
 Rh (D) antibody	First prenatal visit – repeat at 24-28 weeks gestation for all unsensitized Rh (D)-negative women, unless the biological father is known to be Rh (D)-negative
 Syphilis	During pregnancy
 Tobacco use	During pregnancy – pregnancy-tailored counseling for those who smoke
Perinatal Vaccines**	
 Tetanus-diphtheria-pertussis (Tdap)	1 dose – during each pregnancy
Women's Health Recommendation	
 Well Woman Visit	Annually
 Contraceptive Counseling	2 visits per plan year
 Contraceptive Devices & Injectables (Birth control)	All women planning or capable of pregnancy

* The vaccine recommendations are based on the Centers for Disease Control and Prevention (CDC) found online at <http://www.cdc.gov/vaccines/schedules/> as of February 11, 2015.

**This information is a summary of perinatal services recommendations from the USPSTF and the CDC for healthy pregnant women with normal risk. Talk with your doctor to find out what services are right for you and when you should have them. Your doctor may have additional recommendations.

The material has been prepared for your general information only. It does not warrant or guarantee, and shall not be liable for any deficiencies in, the information contained herein, or for the accuracy or appropriateness of any services provided by independent third parties. It does not recommend the self-management of health or related issues, nor does offer medical advice. You should consult your physician or appropriate professional for advice and care appropriate for your needs.

2022 Preventive Schedule

Important preventive health services for your child

Below is a summary of preventive service recommendations for healthy children with normal risk. Talk with your doctor to find out what preventive services are right for your children and when they should have them. A full list of the most current screening recommendations can be found on the U.S. Preventive Services Task Force (USPSTF) website at <http://www.ahrq.gov/clinic/uspstfix.htm>. Vaccine schedules change often. The most current recommendations for vaccines can be found on the Centers for Disease Control and Prevention (CDC) website at www.cdc.gov/vaccines. A catch-up vaccine schedule is also available at the CDC website for children who have fallen behind or started late.

Questions?

Call Member Services at
1-877-542-3862



Ask your doctor



Log into your account
at www.aetna.com

Children: Birth to Age 6

General Health Care	Birth	1M	2M	4M	6M	9M	12M	15M	18M	24M	30M	3Y	4Y	5Y	6Y
Oral health assessment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Psychosocial/Behavioral assessment	●	●	●	●	●	●	●	●	●	●	●	●			
Routine Checkup (This exam is not the preschool- or daycare-related physical)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Screening Tests*															
Bilirubin	●														
Body mass index (BMI)														●	
Hearing	●												●	●	●
Lead							●			●		●	●	●	●
Phenylketonuria (PKU), sickle cell disease, hypothyroidism	●														
Vision													Once – 3-5 years of age		
Vaccines**															
Chicken pox (varicella)							●	●					●	●	●
Diphtheria-tetanus-pertussis (DTap)			Dose 1	Dose 2	Dose 3			Dose 4						Dose 5	
H. Influenzae type b (Hib)			Dose 1	Dose 2	Dose 3		Dose 4								

*The preventive health screenings are based on the recommendations of the U.S. Preventive Services Task Force (USPSTF) found online at <http://www.uspreventiveservicestaskforce.org/Page/Name/recommendations> as of February 11, 2015.

**The vaccine recommendations are based on the Centers of Disease Control and Prevention (CDC) found online at <http://www.cdc.gov/vaccines/schedules/> as of February 11, 2015.

The material has been prepared for your general information only. does not warrant or guarantee, and shall not be liable for any deficiencies in, the information contained herein, or for the accuracy or appropriateness of any services provided by independent third parties. does not recommend the self management of health.

Children: Birth to Age 6

Vaccines**	Birth	1M	2M	4M	6M	9M	12M	15M	18M	24M	30M	3Y	4Y	5Y	6Y
Hepatitis A							Dose 1 – between 12-23 months of age; Dose 2 – 6-18 months later								
Hepatitis B	Dose 1	Dose 2		Dose 3			Dose 4								
Inactivated polio (IPV)			Dose 1	Dose 2			Dose 3							Dose 4	
Influenza					Every flu season										
Measles-mumps-rubella (MMR)															
Pneumococcal conjugate (PCV)			Dose 1	Dose 2	Dose 3		Dose 4								
Rotavirus			Dose 1	Dose 2	Dose 3										

Information About the Affordable Care Act (ACA)


This schedule is a reference tool for planning your family's preventive care, and lists items and services required under the Affordable Care Act (ACA), as amended. It is reviewed and updated periodically based on the advice of the U.S. Preventive Services Task Force, laws and regulations, and updates to clinical guidelines established by national medical organizations. Accordingly, the content of this schedule is subject to change. Your specific needs for preventive services may vary according to your personal risk factors. Your doctor is always your best resource for determining if you're at increased risk for a condition. Some services may require prior authorization. If you have questions about this schedule, prior authorizations or your benefit coverage, please call the Member Service number on the back of your member ID card.


2022 Preventive Schedule

Important preventive health services for your child

Below is a summary of preventive service recommendations for healthy children with normal risk. Talk with your doctor to find out what preventive services are right for your children and when they should have them. A full list of the most current screening recommendations can be found on the U.S. Preventive Services Task Force (USPSTF) website at <http://www.ahrq.gov/clinic/uspstfix.htm>. Vaccine schedules change often. The most current recommendations for vaccines can be found on the Centers for Disease Control and Prevention (CDC) website at www.cdc.gov/vaccines. **Routine childhood vaccines should be completed by this age.** A catch-up vaccine schedule is also available at the CDC website for children who have fallen behind or started late.

Questions?

 **Call Member Services at 1-877-542-3862**

 **Ask your doctor**

 **Log into your account at www.aetna.com**

Children: Ages 7 to 18

General Health Care	7Y	8Y	9Y	10Y	11Y	12Y	13Y	14Y	15Y	16Y	17Y	18Y
Routine Checkup (This exam is not the preschool- or daycare-related physical exam)	●	●	●	●	●	●	●	●	●	●	●	●
Behavioral Counseling										Routinely for sexually active adolescents		
Screening Tests*												
Alcohol misuse												Routinely
Blood pressure												Every 2 years
Body mass index (BMI)						Periodically						
Depression									Routinely			
Hearing						Routinely						
Human immunodeficiency virus (HIV)										Once – 15-65 years of age. Talk with your doctor about when screening should be repeated		
Tobacco use prevention						Routinely						
Unhealthy drug use												●
Vaccines*												
Human papillomavirus (HPV)					2 doses when started between 9-14 years of age; 3 doses all other ages							
Influenza						Annually						
Meningococcal						Dose 1				Dose 2		
Tetanus-diphtheria-pertussis (Tdap)						Dose 1						

*The preventive health screenings are based on the recommendations of the U.S. Preventive Service Task Force (USPSTF) found online at <http://www.uspreventiveservicestaskforce.org/Page/Name/recommendations> as of February 11, 2015. The material has been prepared for your general information only. does not warrant or guarantee, and shall not be liable for any deficiencies in, the information contained herein, or for the accuracy or appropriateness of any services provided by independent third parties. does not recommend the self management of health or related issues, nor does offer medical advice. You should consult your physician or appropriate professional for advice and care appropriate for your needs.

*The vaccine recommendations are based on the Centers of Disease Control and Prevention (CDC) found online at <http://www.cdc.gov/vaccines/schedules/> as of February 11, 2015. The material has been prepared for your general information only. does not warrant or guarantee, and shall not be liable for any deficiencies in, the information contained herein, or for the accuracy or appropriateness of any services provided by independent third parties. does not recommend the self management of health or related issues, nor does offer medical advice. You should consult your physician or appropriate professional for advice and care appropriate for your needs.

Information About the Affordable Care Act (ACA)

This schedule is a reference tool for planning your family's preventive care, and lists items and services required under the Affordable Care Act (ACA), as amended. It is reviewed and updated periodically based on the advice of the U.S. Preventive Services Task Force, laws and regulations, and updates to clinical guidelines established by national medical organizations. Accordingly, the content of this schedule is subject to change. Your specific needs for preventive services may vary according to your personal risk factors. Your doctor is always your best resource for determining if you're at increased risk for a condition. Some services may require prior authorization. If you have questions about this schedule, prior authorizations or your benefit coverage, please call the Member Service number on the back of your member ID card.



Aetna is the brand name used for products and services provided by one or more of the Aetna group of subsidiary companies, including Aetna Life Insurance Company, and its affiliates.

Nondiscrimination Notice

Aetna complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability or sex. Aetna does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Aetna:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, contact the number on your ID card. Not an Aetna member? Call us at 1-866-353-9802.

If you believe that Aetna has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability or sex, you can file a grievance with our Civil Rights Coordinator at:

- Address: P.O. Box 14462, Lexington, KY 40512
- Telephone: **1-800-648-7817** (TTY: 711), Fax: 1-859-425-3379
- Email: CRCordinator@aetna.com

You can file a grievance in person or by mail, fax or email. If you need help filing a grievance, our Civil Rights Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call the number on the back of your ID card (TTY: 711).

ATENCIÓN: Si usted habla español, servicios de asistencia lingüística, de forma gratuita, están disponibles para usted. Llame al número en la parte posterior de su tarjeta de identificación (TTY: 711).

请注意：如果您说中文，可向您提供免费语言协助服务。请拨打您的身份证背面的号码（TTY：711）。

CHÚ Ý: Nếu quý vị nói tiếng Việt, chúng tôi cung cấp dịch vụ hỗ trợ ngôn ngữ miễn phí cho quý vị. Xin gọi số điện thoại ở mặt sau thẻ ID của quý vị (TTY: 711).

알림: 한국어를 사용하시는 분들을 위해 무료 통역이 제공됩니다. ID 카드 뒷면에 있는 번호로 전화하십시오 (TTY: 711).

ATENSYON: Kung nagsasalita ka ng Tagalog, may makukuha kang mga libreng serbisyong tulong sa wika. Tawagan ang numero sa likod ng iyong ID card (TTY: 711).

ВНИМАНИЕ: Если вы говорите по-русски, вы можете воспользоваться бесплатными услугами языковой поддержки. Позвоните по номеру, указанному на обороте вашей идентификационной карты (номер для текст-телефонных устройств (TTY: 711))

تنبيه: إذا كنت تتحدث اللغة العربية، فهناك خدمات المعاونة في اللغة المجانية متاحة لك. اتصل بالرقم الموجود خلف بطاقة هويتك (جهاز الاتصال لذوي صعوبات السمع والنطق: 711).

Kominike: Si se Kreyòl Ayisyen ou pale, gen sèvis entèprèt, gratis-ticheri, ki la pou ede w. Rele nan nimewo ki nan do kat idantite w la (TTY: 711).

ATTENTION: Si vous parlez français, les services d'assistance linguistique, gratuitement, sont à votre disposition. Appelez le numéro au dos de votre carte d'identité (TTY: 711).

UWAGA: Dla osób mówiących po polsku dostępna jest bezpłatna pomoc językowa. Zadzwoń pod numer podany na odwrocie karty ubezpieczenia zdrowotnego (TTY: 711).

ATENÇÃO: Se a sua língua é o português, temos atendimento gratuito para você no seu idioma. Ligue para o número no verso da sua identidade (TTY: 711).

ACHTUNG: Wenn Sie Deutsch sprechen, steht Ihnen unsere fremdsprachliche Unterstützung kostenlos zur Verfügung. Rufen Sie dazu die auf der Rückseite Ihres Versicherungsausweises (TTY: 711) aufgeführte Nummer an.

注：日本語が母国語の方は言語アシスタンス・サービスを無料でご利用いただけます。ID カードの裏に明記されている番号に電話をおかけください (TTY: 711)。

توجه: اگر شما به زبان فارسی صحبت می کنید، خدمات کمک زبان، به صورت رایگان، در دسترس شماست. با شماره واقع در پشت کارت شناسایی خود (TTY: 711) تماس بگیرید.